



## TECHNICAL DATA SHEET

### Divinol Lithogrease 000/150

Special lithium complex soap grease for lubrication of machine tools

#### PRODUCT DESCRIPTION

- + high grade lithium complex soap grease
- + work stable
- + water resistant
- + corrosion and oxidation resistant
- + excellent wear protection properties
- + high pressure absorption capacity
- + with EP additives
- + classification GP 000 N-30 as per DIN 51 826
- + classification ISO-L-XCDHB 000 as per ISO 6743-9

#### CHARACTERISTICS

Colour / Appearance	yellow
Thickening agent	Lithium soap
Operating temperature range	-30°C - +140°C
NLGI-class / DIN 51 818	000
Base oil viscosity/40°C / ASTM D 7042	150 mm <sup>2</sup> /s
Dropping point / DIN ISO 2176	170 °C
Worked penetration/0.1mm, 60 double strokes / DIN ISO 2137	460
Worked penetration/0.1mm, 5000 double strokes / DIN ISO 2137	470

23030

10/2019-23030-6

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.



## TECHNICAL DATA SHEET

### Divinol Lithogrease 000/150

Special lithium complex soap grease for lubrication of machine tools

---

Corrosion effect on copper 24h/100°C / DIN 51 811

Corrosion degree 1

---

VKA welding load / DIN 51 350-4

2800 N

#### APPLICATION

**Divinol Lithogrease 000/150** is used for the lubrication of rollers in linear guide systems of machine tools. It can also be used for the lubrication of gears with a high mechanical load.

The product is easily pumpable in central lubrication systems. Due to its low consistence, **Divinol Lithogrease 000/150** shows a clearly better flow behaviour as a comparable grease of NLGI-class 00.

Benefit from our service, we will gladly advise you and develop individual application recommendations for your process. Please also note the material safety data sheet.

23030

10/2019-23030-6

The statements made in this publication are according to our present knowledge. They do not absolve the user from own examinations. A legally binding assurance of certain properties or suitability for a specific use can not be derived from our statements. Possibly existing laws and regulations concerning the handling and use of our products have to be observed by the receiver of our products himself.

2 / 2